

**Cabazitaxel**

De Bono JS et al ASCO 2010, abstract 4508.

Date written \_\_\_\_\_ To begin \_\_\_\_\_

Patient's: Height _____ cm	Weight _____ kg	BSA _____ m <sup>2</sup>
Allergies: <input type="checkbox"/> No	<input type="checkbox"/> Yes: _____	
Diagnosis _____	Metastatic Site _____	

Protocol:
<input type="checkbox"/> Yes # _____
<input type="checkbox"/> No
Source of Drug:
<input type="checkbox"/> Routine supply
<input type="checkbox"/> Protocol supply
<input type="checkbox"/> Other

1. Laboratory Studies:
- CBC w/ diff, CMP
  - No labs required prior to administration

2. Consent Obtained ?
- Yes  Preprinted Consent  See Dictated Note  Note in Chart  No Plan: \_\_\_\_\_

3. Infusion Room General Order Set will be initiated

4. Premedications:
- |              |  |
|--------------|--|
| Antiemetics: | <b>Ondansetron 16 mg PO 30 minutes prior to chemotherapy</b>     |
| Prophylaxis: | <b>Dexamethasone 8 mg IV 30 minutes prior to chemotherapy</b>    |
|              | <b>Famotidine 20 mg IV 30 minutes prior to chemotherapy</b>      |
|              | <b>Diphenhydramine 25 mg IV 30 minutes prior to chemotherapy</b> |

5. Chemotherapy: (calculate 100% of dose)

**Cabazitaxel 25 mg/m<sup>2</sup> = \_\_\_\_\_ mg IV in 250 mL NS over 1 hr, infuse via 0.22 micron non-PVC tubing**

6. Post Chemotherapy:
- Prednisone 10 mg po daily (will need RX)
  - GCSF \_\_\_\_\_ micrograms subcutaneously daily
  - Pegfilgrastim 6 mg subcutaneously day 2

7. Subsequent Doses: One cycle equals 21 days. Patient to be seen prior to each cycle by MD, orders will be written for each.

MD/Preparer's Signature \_\_\_\_\_

Attending MD signature \_\_\_\_\_

